

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|------------------|
| S1 | 6 | "729191".ap. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:30 |
| S2 | 234 | (swoboda near3 gary).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:30 |
| S3 | 125 | (swoboda near3 gary).in. and (packet datagram frame) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:31 |
| S4 | 23 | (swoboda near3 gary).in. and (packet datagram frame).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:49 |
| S5 | 28 | (bryan near3 thome).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:49 |
| S6 | 20491 | (texas near3 instruments).as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 11:50 |
| S7 | 4004 | (texas near3 instruments).as. and (packet datagram frame) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 11:50 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| S8 | 1169 | (texas near3 instruments).as. and (packet datagram frame).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 11:51 |
| S9 | 1 | (texas near3 instruments).as. and (packet datagram frame).clm. and "709".cls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 11:53 |
| S10 | 11147 | (709/236 709/217 709/231 714/776 370/218 370/473 370/474).cccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 11:55 |
| S11 | 21 | S10 and S7 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:05 |
| S12 | 84417 | (packet datagram frame) near6 (group\$4 class\$3 division\$3 subgroup\$4 subclass\$3 subdivison\$3 sub-group\$4 sub-class\$3 sub-division\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:10 |
| S13 | 14384 | S12 same (identi\$8 distinguish\$3 seperat\$3 characteriz\$3 recogniz\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:13 |
| S14 | 3744 | S13 same (first\$3 original\$2 start\$3 begining\$3) same (second\$2 new\$2 differ\$4 follow\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:15 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S15 | 2070 | S14 same (indicat\$3 flag\$3 bit\$2 portion\$2 mark\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:16 |
| S16 | 3 | S15 same ((op adj code) (operation adj code)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:20 |
| S17 | 65 | S15 and S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:23 |
| S18 | 8 | S15 and S10 and fragment\$6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/04 12:24 |
| S19 | 1334 | S15 same (order\$3 sequenc\$3 flow\$3 stream\$3 layout\$3 chunk\$3 composition\$3 placement\$3 pattern\$3 organiz\$5 succession\$3 structur\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 12:47 |
| S20 | 155 | S19 and fragment\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 12:48 |
| S21 | 40 | S20 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/04 12:48 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S22 | 97600 | (group\$3 subgroup\$3 sub-group\$3 cluster\$3 multip\$3 chunk\$3 class\$3 subclass\$3 sub-class\$3) near5 (pdu (protocol adj data adj unit) packet datagram frame) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/05 08:35 |
| S23 | 311 | S22 with ((eliminat\$3 without remov\$3 no singl\$3 one) near3 header) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 08:41 |
| S24 | 176 | S23 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 08:41 |
| S25 | 0 | 717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) near4 (function operation)) same packet same (trace near3 stream\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:47 |
| S26 | 0 | 717/124.ccls. and (host same target same ((reconstruct\$3 rebuild\$3 simulat\$3 redo\$3) same (function operation)) same packet same (trace near3 stream\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:47 |
| S27 | 1025 | 717/124.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:47 |
| S28 | 14 | 717/124.ccls. and (trace near4 stream\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 13:48 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S29 | 93 | S27 and (target same host) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/05 16:36 |
| S30 | 36 | S29 and (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/05 16:48 |
| S31 | 38 | host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 16:49 |
| S32 | 16 | (host same target same (packet (data near2 signal) datagram pdu (protocol adj data adj unit) frame) same trace same stream\$3) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:00 |
| S33 | 12 | S32 and debug\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 16:50 |
| S34 | 364 | debug\$4 near3 protocol | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:01 |
| S35 | 16 | S34 same host same target | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:01 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S36 | 13 | S35 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:05 |
| S37 | 159 | S34 and packet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:05 |
| S38 | 5 | S36 and packet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/05 17:05 |
| S39 | 3 | debug\$4 same protocol same (packet frame datagram) and "717".class. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/06 09:38 |
| S40 | 1 | debug\$4 same client same server same (packet frame datagram) and "717".class. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/06 09:39 |
| S41 | 705850 | (packet pdu (protocol adj data adj unit) frame datagram data (logic adj signal\$3)) near3 (group\$3 cluster\$3 numerous\$3 many multipl\$3 collection\$3 batch\$3 combin\$5 bunch\$3 accumul\$3 quantit\$3 array) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/06 15:53 |
| S42 | 128533 | S41 same (send\$3 deploy\$4 transmit\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/06 15:57 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S43 | 6056 | S42 same (first begin\$4 start lead\$3 initial prim\$3) near6 (mark\$3 bit identif\$3 indicat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/06 16:01 |
| S44 | 60 | S43 same (one singl\$4 exclusiv\$3) near3 header | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/06 16:03 |
| S45 | 43 | S44 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/06 16:03 |
| S46 | 6 | (ghose near3 kanad).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/06 18:11 |
| S47 | 15 | "789852".ap. "5307413".pn. "5774467".pn. "5910385".pn. "6032197".pn. "6151318".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/06 18:13 |
| S48 | 14 | S47 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/06 18:13 |
| S49 | 1748 | stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead\$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/10 15:59 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S50 | 87 | stream\$3 and ((single one) near3 header) and ((mark\$3 bit identif\$3 indicat\$3 extension) near4 (first lead\$3 begin\$4 start\$3) near4 (packet datagram frame pdu (protocol adj data adj unit)) same sub) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/10 16:09 |
|-----|----|---|--|----|-----|------------------|

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|--|------------------|---------|------------------|
| S6 | 1 | (debug\$4 adj protocol) same ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 12:46 |
| S7 | 33 | (debug\$4 adj protocol) and ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:21 |
| S8 | 33 | (debug\$4 adj protocol) and ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near4 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:37 |
| S9 | 0 | S8 and ((single one solitary) near2 header) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:39 |
| S10 | 18 | S8 and ((indicat\$3 mark\$3 identif\$4 recogniz\$3 designat\$3 denot\$5 impl\$4 point\$3 signif\$4 establish\$3 confirm\$3) near3 (first begin\$4 start)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:39 |
| S11 | 8 | S10 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:26 |
| S12 | 786474 | ((multiple group\$4 cluster\$3 numerous bunch\$3 batch\$3 collection many several) near3 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:41 |

EAST Search History

| | | | | | | |
|-----|--------|---|--|----|-----|------------------|
| S13 | 7031 | S12 and ((single one solitary) near2 header) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:43 |
| S14 | 192916 | ((indicat\$3 mark\$3 identif\$4 recogniz\$3 designat\$3 denot\$5 impl\$4 point\$3 signif\$4 establish\$3 confirm\$3) near3 (first begin\$4 start\$3) near3 (packet datagram pdu (protocol adj data adj unit) frame (logic signal\$3) information data)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:42 |
| S15 | 19 | S12 same ((single one solitary) near2 header) same S14 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:43 |
| S16 | 6 | S15 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/09/17 13:44 |
| S17 | 82814 | ((test\$3 debug\$3) same (protocol packet datagram frame)) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:04 |
| S18 | 33711 | S17 and ((start\$3 beginning first initial lead\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:43 |
| S19 | 15423 | S18 and (trace tracing stream\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 09:26 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|----|------------------|
| S20 | 1722 | S19 and (header near2 packet) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 09:27 |
| S21 | 1423 | S20 and ((group\$3 batch cluster\$3 chain multiple numerous\$2 continuous\$2) with (packet datagram frame)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:54 |
| S22 | 45 | S21 and (extension same payload) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 09:38 |
| S23 | 208 | ((debug debugging) near3 protocol) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:05 |
| S24 | 13 | S23 and ((start\$3 beginning first initial lead\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with (trace tracing stream sub-group (sub adj group) subgroup bunch cluster\$3 continuous\$2 batch\$3 chain\$3 group\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:15 |
| S25 | 55130 | ((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 13:01 |
| S26 | 28692 | ((start\$3 beginning first initial lead\$3) near5 (packet datagram frame PDU) near5 (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 10:52 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S27 | 297 | ((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with extension) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 13:10 |
| S28 | 86 | S27 and header and (tracing trace stream\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 13:03 |
| S29 | 3 | S28 and (gps dgps debug\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 11:19 |
| S30 | 83 | S28 not S29 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 11:19 |
| S31 | 385 | ((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (fragmentation fragment\$3) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3)) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 13:02 |
| S32 | 158 | S31 and header and (tracing trace stream\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 13:03 |
| S33 | 2 | ((start\$3 beginning first initial lead\$3) with (packet datagram frame PDU) with (fragment\$3 fragmentation) with (indicat\$3 mark\$3 identif\$4 bit denotation denot\$3) with extension) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:15 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|----|------------------|
| S34 | 5453 | @ad<="20021217" and (header with ((number many quantity amount) near3 (group frame fragment datagram pdu packet sub-group (subgroup)))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:23 |
| S35 | 261 | @ad<="20021217" and (header with ((number many quantity amount) near3 (group frame fragment datagram pdu packet sub-group (subgroup)))) and debug\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:24 |
| S36 | 335 | @ad<="20021217" and (header near3 field near3 number near3 (group frame sub-frame fragment datagram pdu packet sub-group subgroup)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:26 |
| S37 | 244 | @ad<="20021217" and (header near3 field near3 number near3 (group frame sub-frame fragment datagram pdu packet sub-group subgroup)) and network and protocol | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:45 |
| S38 | 148 | @ad<="20021217" and (((header near2 field near3 (number (how adj many) amount)) near2 (sub-frame fragment datagram pdu packet sub-group subgroup))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:48 |
| S39 | 18 | @ad<="20021217" and (((header adj (sub-frame fragment datagram pdu packet sub-group subgroup)) near2 field near3 (number (how adj many) amount)) near2 (sub-frame fragment datagram pdu packet sub-group subgroup))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:51 |
| S40 | 904 | @ad<="20021217" and (stream\$3 same ((single one) near2 header)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:55 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S41 | 192 | @ad<="20021217" and (stream\$3 same ((single one) adj1 header)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:55 |
| S42 | 84 | S41 and ((group\$3 batch cluster\$3 chain multiple numerous\$2 continuous\$2) with (fragment pdu packet datagram frame)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:56 |
| S43 | 51 | S42 and (header with (number (how adj many))) with (fragment pdu packet datagram frame)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:40 |
| S44 | 41 | S43 and network | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 16:58 |
| S45 | 2 | "20020184373".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:06 |
| S46 | 2 | "20020087716".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:06 |
| S47 | 832 | (header with (number (how adj many))) with (sub-group sub-packet group fragment pdu packet datagram) with (frame group bunch cluster)) and stream\$3 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:44 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|----|------------------|
| S48 | 232 | (header with ((number (how adj many)) adj3 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:49 |
| S49 | 167 | (header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:52 |
| S50 | 0 | ((one single) adj3 header) with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:51 |
| S51 | 143 | (header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and stream\$3 and @ad<="20021217" and signal\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 17:53 |
| S52 | 67 | (header with ((number (how adj many)) adj2 (sub-group sub-packet group fragment pdu packet datagram)) with (frame group)) and (stream\$3 with signal\$3) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 18:32 |
| S53 | 3 | (header with (number (how adj many)) with (fragment\$3 fragmentation) with (frame group)) and (stream\$3 with signal\$3) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 18:32 |
| S54 | 42 | (header with (number (how adj many)) with (fragment\$3 fragmentation) with (frame group)) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 18:31 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|----|------------------|
| S55 | 39 | S54 not S53 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 18:15 |
| S56 | 58 | ((one single) adj3 header) with ((number (how adj many) amount quantity) adj3 (sub-group sub-packet group fragment pdu packet datagram)) and (fram\$3 stream\$3 group\$3 bunch\$3 cluster\$3) and @ad<="20021217" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/16 18:37 |